

HIGH-END PRODUCTS CATALOG



COMPARATIVE

WOOD STOVES



ABOUT US

J. A. ROBY has been at the forefront of the hearth industry for over 45 years. We are known for our blend of Canadian heritage design and heating efficiency, with designs that resonate with both traditional and contemporary decors. As one of North America's largest wood stove manufacturers with EPA certifications, we are committed to timeless designs, unbeatable performance, industry-leading warranties, and exceptional customer service.

We are also renowned for our commitment to innovation and to improving our heating appliances by relying on advanced technologies which have made it possible to modernize combustion to make them more eco-friendly.

Eddy Guerin
Eddy Guerin, President

Get more information at jaroby.com

Follow us on Facebook

J.A. ROBY

490 RUE DE L'ARGON QUÉBEC, QC, CANADA G2N 2C9

ABOUT US	
CONTENT	
WOOD STOVE	ES .
SERIES	10 000
V	ENTAURI EGAOLARIS
SERIES	11000
U	LTIMATE
SERIES	12 0 0 0
F A A F	ORGERON ORGERON CUISINIERE TMOSPHERE 3.0 TMOSPHERE 3.0 PLUS ERRONNIER ORGEUR
SERIES	15 0 0 0
С	TRATOUISINIERE 3.0XO
SERIES	16 000
С	HIEFUISTOTLDA
SERIES	22000
Si H A G K C	IONEER CORE UBBLE POLLO EMINI OCHER OCINERA ORNELLO
COMPARATIV	E

SERIES 10 000

CHARACTERISTICS

- CERTIFIED EPA 2020: 1.43 g/h
- MOBILE HOME & NOVOCLIMAT APPROVED
- Capacity (dry cordwood): 70,000 BTU
- Recommended heating area (ft²): 500 1,800
- Maximum log length: 18"



* CENTAURI

The **CENTAURI** model stands out with its stylish design, arched cast iron door, and beautiful ornaments. It will fit any decor. This highly versatile wood-burning cookstove has two removable lids for cooking, a cooking plate, and an overhead warmer. With an optimum efficiency of 72.9% and emissions of 1.43 g/h, it is EPA Method 28R, CSA B415.1-10, and mobile home certified. It is a powerful, compact, and ecological model.

This small-size wood-burning appliance can reach an impressive heating capacity of 70,000 BTU and receive logs up to 18" long. It is recommended for 500 to 1,800 sq. ft. areas. It comes with a limited lifetime warranty. Outdoor air intake included.



Model #PBCE

VEGA*



Model #PBVE

The sleek-looking VEGA model on pedestal includes a tested and certified safe space for wood storage under the stove. The wood-burning appliance also has convenient removable lids for cooking. It features an arched cast iron door and will match all styles.

Our VEGA wood stove can accommodate logs up to 18" in length. It provides a maximum heating capacity of 70,000 BTU and is recommended for areas from 500 to 1,800 sq. ft. It is EPA Method 28R, CSA B415.1-10, and mobile home certified thanks to an optimum efficiency of 72.9% and emissions of 1.43 g/h. Two 75 CFM fans, a thermodisk, and an outdoor air intake included. Black enameled cast iron cooking plate available as an option. Limited lifetime warranty.



1-866-849-8095

POLARIS*

SERIES 10 000



Our **POLARIS** wood stove is all at once powerful, compact, and ecological. Its timeless design and small size make it a perfect fit virtually anywhere. It features an arched cast iron door as well as two removable lids for cooking. It can also be equipped with a kit of two 75 CFM fans and a thermodisk.

Recommended for 500 to 1,800 sq. ft. areas, it will provide the heat you need with a maximum heating capacity of 70,000 BTU and a 72.9% efficiency rating. With emissions of 1.43 g/h, it is EPA Method 28R, CSA B415.1-10, and mobile home certified. The **POLARIS** model accepts logs up to 18" long. Outdoor air intake included, black enameled cast iron cooking plate available as an option. Limited lifetime warranty.

SERIES 11000

CHARACTERISTICS

- CERTIFIED CAN/CSA B415.1-10: 1.30 g/h
- Capacity (dry cordwood): 120,000 BTU
- Recommended heating area (ft²): 1,200 3,800
- Maximum log length: 24"

ULTIMATE

Our **ULTIMATE** model is the industry's largest wood stove; it is 37-13/16" high, 29" wide, and 37-7/16" deep, and it includes a 4.47 cu. ft. firebox. It can easily warm up areas of up to 3,800 sq. ft. This powerful, nice-looking wood stove provides an outstanding heating capacity of up to 120,000 BTU and can accommodate logs up to 24" long. The **ULTIMATE** model on legs features an arched cast iron door.

With its optimum efficiency of 74.24% and 1.30 g/h emissions, it is CSA B415.1-10 certified. Two optional 75 CFM fans and a thermodisk can be added. An adapter kit including two 6" ducts, a 460 CFM blower, and a thermodisk (VENTULT) is also available as an option. Limited lifetime warranty.



Model #ULT15

www.jaroby.com

1-866-849-8095

SERIES 12000

CHARACTERISTICS

- CERTIFIED CAN/CSA B415.1-10: 1.02 g/h
- Capacity (dry cordwood): 95,000 BTU
- Recommended heating area (ft2): 1,000 2,500
- Maximum log length: 19"

FORGERON

The high-efficiency FORGERON model will give you all the heat you need when you need it with a maximum output of 95,000 BTU (dry cordwood). This wood stove is recommended for areas from 1,000 to 2,500 sq. ft. This beautiful model on legs features an arched cast iron door and a convenient easy-access ash drawer. It can receive logs up to 19" in length.

With its optimum efficiency of 79.46% and its 1.02 g/h emissions, the **FORGERON** wood stove is CSA B415.10, ULC S627, and UL 1482 certified. It is also mobile home certified (outdoor air intake required). It can be equipped with a kit of two 75 CFM fans and a thermodisk. Cooking plate available as an option. Limited lifetime warranty.



FORGERON CUISINIERE



The FORGERON CUISINIERE wood-burning cookstove will give you all the heat you need when you need it with an average output of 95,000 BTU (dry cordwood). Enjoy peace of mind during power outages with this cookstove that features an overhead warmer and a cooking plate to cook or heat your

The FORGERON CUISINIERE wood-burning cookstove is environmentally friendly, with emissions levels as low as 1.02 g/h and a 79,46% efficiency rating (LHV). These results were obtained during official performance tests conducted in accordance with standard CSA B415.1-10, the Canadian environmental standard that is the equivalent of the US EPA standard.

Model #FORCUI

ABOUT US

ATMOSPHERE 3.0



The high-efficiency 95,000 BTU ATMOSPHERE 3.0 wood stove features an arched cast iron door on pedestal and an easy-to-access ash drawer. It can accommodate logs up to 19" long and is recommended to areas from 1,000 to 2,500 sq. ft.

With an optimum efficiency of 79.46% and very low 1.02 g/h emissions, it is CSA B415.1-10, ULC S627, and UL 1482 certified and comes with a limited lifetime warranty. Two optional 75 CFM fans and a thermodisk can be added. The ATMOSPHERE 3.0 model is also mobile home certified (outdoor air intake required).

ATMOSPHERE 3.0 PLUS

The ATMOSPHERE 3.0 PLUS model is a wood stove on pedestal with heat accumulator on top. It can reach 110,000 BTU (dry cordwood) and accommodate logs up to 19". It is recommended for areas from 1,000 to 3,500 sq. ft. Its design features an arched cast iron door as well as chrome handles and corners.

The model includes a 460 CFM blower, a thermodisk. and an outside air intake. Outdoor air intake ducting is offered as an option. With very low 1.02 g/h emissions, the ATMOSPHERE 3.0 PLUS wood stove is EPA Method 28R, CSA B415.1-10, ULC S627, UL 1482, and mobile home certified.



FERRONNIER



The FERRONNIER is a high-efficiency wood stove on pedestal integrating an oven on top of the firebox and featuring an arched cast iron door and an easy-access ash drawer. The model can accommodate logs up to 19".

With a maximum efficiency of 95,000 BTU, this beautiful model is suited for 1,000 to 2,500 sq. ft. areas. It is CSA B415.1-10, ULC S627, and UL 1482 certified (very low 1.02 g/h emissions). The FERRONNIER model is also mobile home certified (outdoor air intake required). It can be equipped with two 75 CFM fans and a thermodisk as an option. Limited lifetime warranty.



FORGEUR

SERIES 12000



The **FORGEUR** model is a high-efficiency wood stove that is CSA B415.1-10, ULC S627, and UL 1482 certified thanks to emissions as low as 1.02 g/h. Recommended for 1,000 to 2,500 sq. ft. areas, it will provide you with all the heat you need with an average output of 95,000 BTU and a 79.46% efficiency

The model accepts logs up to 19" in length and you'll love its easy-access ash drawer. It can be equipped with a kit of two 75 CFM fans and a thermodisk. The FORGEUR wood stove comes with a limited lifetime warranty and is mobile home certified (outdoor air intake required).

SERIES 15000

CHARACTERISTICS

- Certification EPA Exempt
- CERTIFIED CAN/CSA B415.1-10: 1.02 g/h
- Capacity (dry cordwood): 95,000 BTU
- Recommended heating area (ft²): 1,500 2,300
- Maximum log length: 19"



* STRATO

The **STRATO** model is a freestanding exo wood cookstove. Its firebox features an arched cast iron door and accepts logs up to 19" in length. The model suits areas from 1,500 to 2,300 sq. ft. and provides a maximum heating capacity of 95,000 BTU.

With very low 1.02 g/h emissions and an optimum efficiency of 79.46%, it is CSA B415.1, ULC S627, and UL 1482 certified. The model comes with a limited lifetime warranty and with an optional black enameled cast iron cooking plate.



CUISINIERE 3.0 *




Our **CUISINIERE 3.0** freestanding wood cookstove features an attractive arched cast iron door on firebox side and includes a convenient food warmer on top. It can reach a heating capacity of 95,000 BTU and accommodate logs up to 19". This model is recommended for areas of 1,500 to 2,300 sq. ft.


With very low 1.02 g/h emissions and an optimum efficiency of 79.46%, it is CSA B415.1, ULC S627, and UL 1482 certified. Black enameled cast iron cooking plates and decorative chrome-plated top with mirror available as options. Limited lifetime warranty.











SERIES 15000

EXO *

of 79.46%, it is CSA B415.1, ULC S627, and UL 1482 certified. The **EXO** cookstove can accommodate logs up to 19" long. Black enameled cast iron cooking plates available as an option. Limited lifetime warranty.



SERIES 16 000

CHARACTERISTICS

- CERTIFIED EPA 2020: 1.88 g/h
- MOBILE HOME & NOVOCLIMAT APPROVED
- Capacity (dry cordwood): 70,000 BTU
- Recommended heating area (ft2): 1,000 1,800
- Maximum log length: 18"



* CHIEF

The CHIEF freestanding wood cookstove will fit perfectly in your space. This eco-friendly appliance is recommended for 1,000 to 1,800 sq. ft. areas with its 70,000 BTU heating capacity. The convenient CHIEF model includes an ash drawer, a two-gallon stainless steel water tank with faucet, an upper food warmer, as well as three removable lids for cooking, including a double one.

This nice-looking cookstove features an arched cast iron door in front of the firebox and chromed corners and ornaments. It accepts logs up to 18" in length. The model is mobile home, EPA Method 28R, and CSA B415.1-10 certified with its 64.47% optimum efficiency and 1.88 g/h emissions. Optional cooking plate and decorative top. Limited lifetime warranty.



CUISTOT *



The beautiful **CUISTOT** freestanding wood cookstove features an arched cast iron door on firebox side and chromed corners, handles, and ornaments. It includes an ash drawer as well as a convenient upper food warmer. The model also has a handle and three removable lids on top for cooking, including a double one. The firebox can accommodate logs up to 18" long.

With its maximum 70,000 BTU heating capacity, the CUISTOT cookstove is recommended for 1,000 to 1,800 sq. ft. areas. Thanks to its 64.47% optimum efficiency and 1.88 g/h emissions, the model is mobile home, EPA Method 28R, and CSA B415.1-10 certified. Optional cooking plate and decorative top. Limited lifetime warranty.

Model #CBCU



www.jaroby.com 1-866-849-8095



Model #CBEL

SERIES 16000



Add warmth, comfort, and a touch of magic to your home with the ELDA freestanding wood-burning cookstove. This eco-friendly model, recommended for 1,000 to 1,800 sq. ft. areas, provides a maximum heating capacity of 70,000 BTU. It can receive logs up to 18" long.

The attractive **ELDA** model includes an arched cast iron door on firebox side, chromed corners, and an ash drawer. More importantly, it features on top three removable lids for cooking, including a double one. With its 64.47% optimum efficiency and 1.88 g/h emissions, this model is EPA Method 28R, CSA B415.1-10, and mobile home certified. Cooking plate available as an option. Outdoor air intake included and limited lifetime warranty.

,	
,	

SERIES 22000

CHARACTERISTICS

- CERTIFIED EPA-CAN/CSA B415.1: 1.56 g/h
- MOBILE HOME & NOVOCLIMAT APPROVED
- Capacity (dry cordwood): 110,000 BTU
- Recommended heating area (ft²): 1,000 3,000
- Maximum log length: 22"

PIONEER

The **PIONEER** is a classic in wood stove design. It can heat up to 3,000 sq. ft. and has a heating capacity up to 110,000 BTU (dry cordwood). High efficiency wood stove, US EPA NSPS 2020 and CSA B415.1 certified.



SCORE



With its contemporary look, the **SCORE** on base is designed to enhance your home. Its heating capacity of up to 110,000 BTU (dry cordwood) is sure to please. High efficiency wood stove US EPA NSPS 2020 and CSA B415.1 certified.

1-866-849-8095

HUBBLE

SERIES 22000



The high-efficiency **HUBBLE** freestanding wood stove features a flat top, an arched cast iron door, a chrome handle, and an ash drawer. It is recommended for areas from 1,000 to 3,000 sq. ft.

Its heating capacity can reach up to 110,000 BTU (dry cordwood) and the model can accommodate logs up to 22" long. An outdoor air intake is included. Outdoor air intake ducting, two blowers and a thermodisk are available as an option. With low emissions of 1.56 g/h, the **HUBBLE** model is mobile home as well as EPA and CSA B415.1 standards certified.

APOLLO

The APOLLO can be used in place of a furnace to circulate heat in the room where it is installed using the 460 CFM included. A second blower of the same power cans also be added for greater comfort (optional).

High efficiency wood stove provided with heat accumulator unit on top allowing a better distribution of the heat throughout the room and optimizing the heating capacity of the unit. US EPA NSPS 2020 and CSA B415.1 certified.



GEMINI



The **GEMINI** stove's oven is located on top of the woodburning stove; an interesting advantage when it comes to minimizing space. A controler vent is built in and provide a better control of the heat of the oven. High efficiency wood cookstove US EPA NSPS 2020 and CSA B415.1 certified.





CHARACTERISTICS

- CERTIFIED EPA-CAN/CSA B415.1: 1.56 g/h
- MOBILE HOME & NOVOCLIMAT APPROVED
- Capacity (dry cordwood): 110,000 BTU
- Recommended heating area (ft²): 1,000 3,000
- Maximum log length: 22"



* KOCHER

The **KOCHER** is a very versatile freestanding wood cookstove that is suited for 1,000 to 3,000 sq. ft. areas. It perfectly combines traditional heat, a food warmer and four removable lids for cooking on top, and a water tank on the side.

Its design is both beautiful and convenient with its arched cast iron door on the firebox, squared door on oven side, storage drawer at the bottom, as well as chromed oven racks, corners, and ornaments. It provides up to 110,000 BTU (dry cordwood) and is EPA and CSA B415.1 certified (low emissions of 1.56 g/h). The model can accommodate logs up to 22" and includes outdoor air intake (optional ducting).



Model # CBKOC

COCINERA *



The freestanding **COCINERA** wood cookstove features an arched cast iron door on the firebox and a square one on oven side. This versatile model includes a food warmer, an oven rack, four removable lids for cooking, as well as a storage drawer. It comes with chromed handles, corners, and ornaments.

The COCINERA cookstove is recommended for 1,000 to 3,000 sq. ft. areas. It provides up to 110,000 BTU (dry cordwood) and is EPA and CSA B415.1 certified (low emissions of 1.56 g/h). Its 3.01 cu. ft. firebox can receive logs up to 22" in length. Outdoor air intake included, outdoor air intake ducting offered as an option.

Model #CBCOC



www.jaroby.com 1-866-849-8095 —

FORNELLO *

Modèle #CBFOR

SERIES 22000



FORNELLO is a modern-looking, high-efficiency freestanding wood-burning cookstove with chromed handles and corners and a large ash drawer. You can even get an optional top warmer for maximum cooking versatility. It includes an arched cast iron door on the firebox, a square door on oven side, a chromed oven rack, and four removable lids for cooking.

With up to 110,000 BTU (dry cordwood), it is perfect for heating areas between 1,000 and 3,000 sq. ft. The FORNELLO model is EPA and CSA B415.1 certified (low emissions of 1.56 g/h). Maximum log length of 22", outdoor air intake included, and outdoor air intake ducting offered as an option.

WOOD STOVES

CONTENT

PRODUCT NAME	CODE	RECOMMENDED SURFACE (ft²)	MAXIMUM CAPACITY (dry cordwood)	MAXIMUM LOG LENGTH	FIREBOX VOLUME (ft³)	OVERALL DIMENSIONS (W x H x D) (in.)	OVEN DIMENSIONS (W x H x D) (in.)	EPA	CSA B415	EMISSIONS	WEIGHT	MOBILE HOME APPROVED
CENTAURI	PBCE	500-1,800	70,000 BTU	18''	1.82	26-7/8 x 54-1/8 x 25-1/2	N/A	√		1.43 g/h	320 lbs	Yes
VEGA	PBVE	500-1,800	70,000 BTU	18"	1.82	26-7/8 x 41-1/4 x 25-1/2	N/A	√		1.43 g/h	297 lbs	Yes
POLARIS	РВРО	500-1,800	70,000 BTU	18''	1.82	26-7/8 x 33 x 25-1/2	N/A	√		1.43 g/h	266 lbs	Yes
ULTIMATE	ULT	1,200-3,800	120,000 BTU	24"	4.47	29 x 37-13/16 x 37-7/16	N/A		√	1.30 g/h	507 lbs	No
FORGERON	FORGERON	1,000-2,500	95,000 BTU	19''	2.51	30-3/8 x 33-1/8 x 30-5/8	N/A		√	1.02 g/h	380 lbs	With option
FORGERON CUISINIERE	FORCUI	1,000-2,500	95,000 BTU	19''	2.51	30-3/8 x 54-1/8 x 30-5/8	N/A		√	1.02 g/h	440 lbs	With option
ATMOSPHERE 3.0	РВАТМ3	1,000-2,500	95,000 BTU	19''	2.51	29-7/8 x 33-1/8 x 30-5/8	N/A		√	1.02 g/h	380 lbs	With option
ATMOSTHERE 3.0 PLUS	РВАТМ3Р	1,000-3,500	110,000 BTU	19''	2.51	29-7/8 x 51-1/4 x 31-7/8	N/A		√	1.02 g/h	510 lbs	With option
FERRONNIER	PBFER	1,000-2,500	95,000 BTU	19''	2.51	30-3/8 x 51-3/8 x 30-5/8	17 × 11-3/4 × 13-3/4		√	1.02 g/h	490 lbs	With option
FORGEUR	PBFORG	1,000-2,500	95,000 BTU	19''	2.51	30-5/8 x 41-1/4 x 30-5/8	N/A		√	1.02 g/h	445 lbs	With option
STRATO	CBSTRA	1,500-2,300	95,000 BTU	19''	2.51	62-1/2 x 58-3/8 x 28-5/8	17 × 11-3/4 × 19	Exempt	√	1.02 g/h	640 lbs	No
CUISINIERE 3.0	CUI3	1,500-2,300	95,000 BTU	19''	2.51	51-1/2 x 58-3/8 x 28-5/8	17 x 11-3/4 x 19	Exempt	√	1.02 g/h	610 lbs	No
EXO	CBEXO	1,500-2,300	95,000 BTU	19''	2.51	51-1/2 x 39-1/8 x 28-5/8	17 x 11-3/4 x 19	Exempt	√	1.02 g/h	500 lbs	No
CHIEF	СВСН	1,000-1,800	70,000 BTU	18''	1.79	51-3/4 x 58-1/2 x 26-1/4	17-1/2 × 12-1/2 × 18-3/4	√		1.88 g/h	567 lbs	Yes
CUISTOT	CBCU	1,000-1,800	70,000 BTU	18"	1.79	41-5/8 x 58-1/2 x 26-1/4	17-1/2 × 12-1/2 × 18-3/4	√		1.88 g/h	532 lbs	Yes
ELDA	CBEL	1,000-1,800	70,000 BTU	18"	1.79	41-5/8 x 37-1/2 x 26-1/4	17-1/2 x 12-1/2 x 18-3/4	√		1.88 g/h	468 lbs	Yes
PIONEER	PBPI	1,000-3,000	110,000 BTU	22''	3.8	26 x 36-5/8 x 33-5/8	N/A	√		1.56 g/h	360 lbs	Yes
SCORE	PBSC	1,000-3,000	110,000 BTU	22"	3.8	28-1/8 x 36-5/8 x 34-1/4	N/A	√		1.56 g/h	370 lbs	Yes
HUBBLE	PBHU	1,000-3,000	110,000 BTU	22''	3.8	26 x 45 x 34-3/8	N/A	√		1.56 g/h	370 lbs	Yes
APOLLO	РВАР	1,000-3,500	110,000 BTU	22''	3.8	26 x 56-1/4 x 33-5/8	N/A	√		1.56 g/h	460 lbs	Yes
GEMINI	CBGE	1,000-3,000	110,000 BTU	22''	3.8	28 x 54-7/8 x 34-3/8	17 x 11-3/4 x 16-3/4	√		1.56 g/h	500 lbs	Yes
KOCHER	СВКОС	1,000-3,000	110,000 BTU	22''	3.8	57-7/8 x 61-7/8 x 34-1/2	17 x 11-3/4 x 19	√		1.56 g/h	717 lbs	No
COCINERA	СВСОС	1,000-3,000	110,000 BTU	22"	3.8	47-3/8 x 61-7/8 x 34-1/2	17 x 11-3/4 x 19	√		1.56 g/h	685 lbs	No
FORNELLO	CBFOR	1,000-3,000	110,000 BTU	22"	3.8	47-1/4 x 40-7/8 x 34-1/2	17 x 11-3/4 x 19	√		1.56 g/h	600 lbs	No

